

YORK

ANALYTICAL LABORATORIES, INC.

Technical Report

prepared for

Airtek Environmental
39 West 38th St., 12th Floor
New York, NY 10018
Attention: Benn Lewis

Report Date: 7/13/2006
Re: Client Project ID: 06-0200 Fiterman Hall
York Project No.: 06061006

CT License No. PH-0723

New York License No. 10854



Report Date: 7/13/2006
 Client Project ID: 06-0200 Fiterman Hall
 York Project No.: 06061006

Airtek Environmental
 39 West 38th St., 12th Floor
 New York, NY 10018
 Attention: Benn Lewis

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 06/30/06. The project was identified as your project "06-0200 Fiterman Hall".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

Analysis Results

Client Sample ID			FH-0628 06-01		FH-0628 06-02	
York Sample ID			06061006-01		06061006-02	
Matrix			SOLID		SOLID	
Parameter	Method	Units	Results	MDL	Results	MDL
PCB	SW846-3550B/8082	mg/Kg	---	---	---	---
PCB 1016			Not detected	1.12	Not detected	0.102
PCB 1221			Not detected	1.12	Not detected	0.102
PCB 1232			Not detected	1.12	Not detected	0.102
PCB 1242			Not detected	1.12	Not detected	0.102
PCB 1248			Not detected	1.12	Not detected	0.102
PCB 1254			Not detected	1.12	Not detected	0.102
PCB 1260			Not detected	1.12	Not detected	0.102
TCLP Base/Neutral/Acids	SW846-1311/8270C	ug/L	---	---	---	---
1,4-Dichlorobenzene			Not detected	20	Not detected	25
2,4,5-Trichlorophenol			Not detected	20	Not detected	25
2,4,6-Trichlorophenol			Not detected	20	Not detected	25
2,4-Dinitrotoluene			Not detected	20	Not detected	25
Cresol (Total)			Not detected	20	Not detected	25
Hexachloro-1,3-butadiene			Not detected	20	Not detected	25
Hexachlorobenzene			Not detected	20	Not detected	25
Hexachloroethane			Not detected	20	Not detected	25

YORK

Client Sample ID			FH-0628 06-01		FH-0628 06-02	
York Sample ID			06061006-01		06061006-02	
Matrix			SOLID		SOLID	
Parameter	Method	Units	Results	MDL	Results	MDL
m-Cresol			Not detected	20	Not detected	25
Nitrobenzene			Not detected	20	Not detected	25
o-Cresol			Not detected	20	Not detected	25
p-Cresol			Not detected	20	Not detected	25
Pentachlorophenol			Not detected	20	Not detected	25
Pyridine			Not detected	20	Not detected	25
TCLP Herbicides	SW-846/8151	ug/L	---	---	---	---
2,4,5-TP (Silvex)			Not detected	5.0	Not detected	5.0
2,4-D			Not detected	5.0	Not detected	5.0
TCLP RCRA Metals	SW846-1311/6010	mg/L	---	---	---	---
TCLP Arsenic			0.086	0.010	0.129	0.010
TCLP Barium			0.610	0.010	0.566	0.010
TCLP Cadmium			Not detected	0.005	Not detected	0.005
TCLP Chromium			Not detected	0.005	Not detected	0.005
TCLP Lead			0.015	0.005	Not detected	0.005
TCLP Selenium			Not detected	0.010	Not detected	0.010
TCLP Silver			Not detected	0.005	Not detected	0.005
TCLP Mercury	SW846-1311/7470	mg/L	0.0006	0.0005	Not detected	0.0005
TCLP Pesticides	SW846-1311/8081	ug/L	---	---	---	---
Chlordane			Not detected	4.00	Not detected	5.00
Endrin			Not detected	0.096	Not detected	0.120
Heptachlor (and the epoxide)			Not detected	0.096	Not detected	0.120
Lindane			Not detected	0.096	Not detected	0.120
Methoxychlor			Not detected	0.960	Not detected	1.20
Toxaphene			Not detected	4.00	Not detected	5.00
TCLP Volatiles	SW846-1311/8260	ug/L	---	---	---	---
1,1-Dichloroethylene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Methyl Ethyl Ketone			Not detected	5.0	Not detected	5.0
Tetrachloroethylene			Not detected	5.0	Not detected	5.0
Trichloroethylene			Not detected	5.0	Not detected	5.0
Vinyl Chloride			Not detected	5.0	Not detected	5.0
Reactivity-Cyanide	SW846 Ch. 7.3.3	mg/kg	Not detected	0.25	Not detected	0.25
Ignitability	SW846-1030P	---	Does not ignite	---	Does not ignite	---
pH	EPA 150.1	units	8.32	---	8.21	---
Reactivity-Sulfide	SW846 Ch. 7.3.4	mg/kg	Not detected	15	Not detected	15

YORK

Client Sample ID			FH-0628 06-03		FH-0628 06-04	
York Sample ID			06061006-03		06061006-04	
Matrix			SOLID		SOLID	
Parameter	Method	Units	Results	MDL	Results	MDL
PCB	SW846-3550B/8082	mg/Kg	---	---	---	---
PCB 1016			Not detected	0.102	Not detected	0.102
PCB 1221			Not detected	0.102	Not detected	0.102
PCB 1232			Not detected	0.102	Not detected	0.102
PCB 1242			Not detected	0.102	Not detected	0.102
PCB 1248			Not detected	0.102	Not detected	0.102
PCB 1254			Not detected	0.102	Not detected	0.102
PCB 1260			Not detected	0.102	Not detected	0.102
TCLP Base/Neutral/Acids	SW846-1311/8270C	ug/L	---	---	---	---
1,4-Dichlorobenzene			Not detected	50	Not detected	17
2,4,5-Trichlorophenol			Not detected	50	Not detected	17
2,4,6-Trichlorophenol			Not detected	50	Not detected	17
2,4-Dinitrotoluene			Not detected	50	Not detected	17
Cresol (Total)			Not detected	50	Not detected	17
Hexachloro-1,3-butadiene			Not detected	50	Not detected	17
Hexachlorobenzene			Not detected	50	Not detected	17
Hexachloroethane			Not detected	50	Not detected	17
m-Cresol			Not detected	50	Not detected	17
Nitrobenzene			Not detected	50	Not detected	17
o-Cresol			Not detected	50	Not detected	17
p-Cresol			Not detected	50	Not detected	17
Pentachlorophenol			Not detected	50	Not detected	17
Pyridine			Not detected	50	Not detected	17
TCLP Herbicides	SW-846/8151	ug/L	---	---	---	---
2,4,5-TP (Silvex)			Not detected	10.0	Not detected	5.0
2,4-D			Not detected	10.0	Not detected	5.0
TCLP RCRA Metals	SW846-1311/6010	mg/L	---	---	---	---
TCLP Arsenic			0.029	0.010	Not detected	0.010
TCLP Barium			0.238	0.010	0.266	0.010
TCLP Cadmium			0.302	0.005	Not detected	0.005
TCLP Chromium			Not detected	0.005	0.014	0.005
TCLP Lead			Not detected	0.005	0.011	0.005
TCLP Selenium			Not detected	0.010	Not detected	0.010
TCLP Silver			Not detected	0.005	Not detected	0.005
TCLP Mercury	SW846-1311/7470	mg/L	Not detected	0.0005	0.0017	0.0005
TCLP Pesticides	SW846-1311/8081	ug/L	---	---	---	---
Chlordane			Not detected	10.0	Not detected	3.30
Endrin			Not detected	0.240	Not detected	0.0792
Heptachlor (and the epoxide)			Not detected	0.240	Not detected	0.0792
Lindane			Not detected	0.240	Not detected	0.0792
Methoxychlor			Not detected	2.40	Not detected	0.792
Toxaphene			Not detected	10.0	Not detected	3.30
TCLP Volatiles	SW846-1311/8260	ug/L	---	---	---	---
1,1-Dichloroethylene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Methyl Ethyl Ketone			Not detected	5.0	Not detected	5.0

YORK

Client Sample ID			FH-0628 06-03		FH-0628 06-04	
York Sample ID			06061006-03		06061006-04	
Matrix			SOLID		SOLID	
Parameter	Method	Units	Results	MDL	Results	MDL
Tetrachloroethylene			Not detected	5.0	Not detected	5.0
Trichloroethylene			Not detected	5.0	Not detected	5.0
Vinyl Chloride			Not detected	5.0	Not detected	5.0
Reactivity-Cyanide	SW846 Ch. 7.3.3	mg/kg	Not detected	0.25	Not detected	0.25
Ignitability	SW846-1030P	---	Does not ignite	---	Does not ignite	---
pH	EPA 150.1	units	7.14	---	9.18	---
Reactivity-Sulfide	SW846 Ch. 7.3.4	mg/kg	18.3	15	Not detected	15

Client Sample ID			FH-0628 06-05		FH-0628 06-06	
York Sample ID			06061006-05		06061006-06	
Matrix			SOLID		SOLID	
Parameter	Method	Units	Results	MDL	Results	MDL
PCB	SW846-3550B/8082	mg/Kg	---	---	---	---
PCB 1016			Not detected	0.102	Not detected	0.102
PCB 1221			Not detected	0.102	Not detected	0.102
PCB 1232			Not detected	0.102	Not detected	0.102
PCB 1242			Not detected	0.102	Not detected	0.102
PCB 1248			Not detected	0.102	Not detected	0.102
PCB 1254			Not detected	0.102	Not detected	0.102
PCB 1260			Not detected	0.102	Not detected	0.102
TCLP Base/Neutral/Acids	SW846-1311/8270C	ug/L	---	---	---	---
1,4-Dichlorobenzene			Not detected	18	Not detected	22
2,4,5-Trichlorophenol			Not detected	18	Not detected	22
2,4,6-Trichlorophenol			Not detected	18	Not detected	22
2,4-Dinitrotoluene			Not detected	18	Not detected	22
Cresol (Total)			Not detected	18	Not detected	22
Hexachloro-1,3-butadiene			Not detected	18	Not detected	22
Hexachlorobenzene			Not detected	18	Not detected	22
Hexachloroethane			Not detected	18	Not detected	22
m-Cresol			Not detected	18	Not detected	22
Nitrobenzene			Not detected	18	Not detected	22
o-Cresol			Not detected	18	Not detected	22
p-Cresol			Not detected	18	Not detected	22
Pentachlorophenol			Not detected	18	Not detected	22
Pyridine			Not detected	18	Not detected	22
TCLP Herbicides	SW-846/8151	ug/L	---	---	---	---
2,4,5-TP (Silvex)			Not detected	5.0	Not detected	5.0
2,4-D			Not detected	5.0	Not detected	5.0
TCLP RCRA Metals	SW846-1311/6010	mg/L	---	---	---	---
TCLP Arsenic			0.111	0.010	Not detected	0.010
TCLP Barium			0.476	0.010	0.157	0.010
TCLP Cadmium			Not detected	0.005	0.198	0.005
TCLP Chromium			Not detected	0.005	0.009	0.005
TCLP Lead			Not detected	0.005	0.029	0.005
TCLP Selenium			Not detected	0.010	Not detected	0.010
TCLP Silver			Not detected	0.005	Not detected	0.005
TCLP Mercury	SW846-1311/7470	mg/L	Not detected	0.0005	Not detected	0.0005

YORK

Client Sample ID			FH-0628 06-05		FH-0628 06-06	
York Sample ID			06061006-05		06061006-06	
Matrix			SOLID		SOLID	
Parameter	Method	Units	Results	MDL	Results	MDL
TCLP Pesticides	SW846-1311/8081	ug/L	---	---	---	---
Chlordane			Not detected	5.00	Not detected	4.40
Endrin			Not detected	0.120	Not detected	0.106
Heptachlor (and the epoxide)			Not detected	0.120	Not detected	0.106
Lindane			Not detected	0.120	Not detected	0.106
Methoxychlor			Not detected	1.20	Not detected	1.06
Toxaphene			Not detected	5.00	Not detected	4.40
TCLP Volatiles	SW846-1311/8260	ug/L	---	---	---	---
1,1-Dichloroethylene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Methyl Ethyl Ketone			Not detected	5.0	Not detected	5.0
Tetrachloroethylene			Not detected	5.0	Not detected	5.0
Trichloroethylene			Not detected	5.0	Not detected	5.0
Vinyl Chloride			Not detected	5.0	Not detected	5.0
Reactivity-Cyanide	SW846 Ch. 7.3.3	mg/kg	Not detected	0.25	Not detected	0.25
Ignitability	SW846-1030P	---	Does not ignite	---	Does not ignite	---
pH	EPA 150.1	units	8.20	---	9.04	---
Reactivity-Sulfide	SW846 Ch. 7.3.4	mg/kg	Not detected	15	Not detected	15

Client Sample ID			FH-0628 06-07		FH-0628 06-08	
York Sample ID			06061006-07		06061006-08	
Matrix			SOLID		SOLID	
Parameter	Method	Units	Results	MDL	Results	MDL
PCB	SW846-3550B/8082	mg/Kg	---	---	---	---
PCB 1016			Not detected	0.102	Not detected	0.102
PCB 1221			Not detected	0.102	Not detected	0.102
PCB 1232			Not detected	0.102	Not detected	0.102
PCB 1242			Not detected	0.102	Not detected	0.102
PCB 1248			Not detected	0.102	Not detected	0.102
PCB 1254			Not detected	0.102	Not detected	0.102
PCB 1260			Not detected	0.102	Not detected	0.102
TCLP Base/Neutral/Acids	SW846-1311/8270C	ug/L	---	---	---	---
1,4-Dichlorobenzene			Not detected	9.1	Not detected	8.3
2,4,5-Trichlorophenol			Not detected	9.1	Not detected	8.3
2,4,6-Trichlorophenol			Not detected	9.1	Not detected	8.3
2,4-Dinitrotoluene			Not detected	9.1	Not detected	8.3
Cresol (Total)			Not detected	9.1	Not detected	8.3
Hexachloro-1,3-butadiene			Not detected	9.1	Not detected	8.3
Hexachlorobenzene			Not detected	9.1	Not detected	8.3
Hexachloroethane			Not detected	9.1	Not detected	8.3
m-Cresol			Not detected	9.1	Not detected	8.3
Nitrobenzene			Not detected	9.1	Not detected	8.3
o-Cresol			Not detected	9.1	Not detected	8.3
p-Cresol			Not detected	9.1	Not detected	8.3

YORK

Client Sample ID			FH-0628 06-07		FH-0628 06-08	
York Sample ID			06061006-07		06061006-08	
Matrix			SOLID		SOLID	
Parameter	Method	Units	Results	MDL	Results	MDL
Pentachlorophenol			Not detected	9.1	Not detected	8.3
Pyridine			Not detected	9.1	Not detected	8.3
TCLP Herbicides	SW-846/8151	ug/L	---	---	---	---
2,4,5-TP (Silvex)			Not detected	5.0	Not detected	5.0
2,4-D			Not detected	5.0	Not detected	5.0
TCLP RCRA Metals	SW846-1311/6010	mg/L	---	---	---	---
TCLP Arsenic			Not detected	0.010	Not detected	0.010
TCLP Barium			0.488	0.010	0.177	0.010
TCLP Cadmium			0.266	0.005	0.036	0.005
TCLP Chromium			0.012	0.005	0.010	0.005
TCLP Lead			0.101	0.005	0.068	0.005
TCLP Selenium			Not detected	0.010	Not detected	0.010
TCLP Silver			Not detected	0.005	Not detected	0.005
TCLP Mercury	SW846-1311/7470	mg/L	Not detected	0.0005	Not detected	0.0005
TCLP Pesticides	SW846-1311/8081	ug/L	---	---	---	---
Chlordane			Not detected	2.00	Not detected	1.80
Endrin			Not detected	0.048	Not detected	0.0432
Heptachlor (and the epoxide)			Not detected	0.048	Not detected	0.0432
Lindane			Not detected	0.048	Not detected	0.0432
Methoxychlor			Not detected	0.480	Not detected	0.432
Toxaphene			Not detected	2.00	Not detected	1.80
TCLP Volatiles	SW846-1311/8260	ug/L	---	---	---	---
1,1-Dichloroethylene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Methyl Ethyl Ketone			Not detected	5.0	Not detected	5.0
Tetrachloroethylene			Not detected	5.0	Not detected	5.0
Trichloroethylene			Not detected	5.0	Not detected	5.0
Vinyl Chloride			Not detected	5.0	Not detected	5.0
Reactivity-Cyanide	SW846 Ch. 7.3.3	mg/kg	Not detected	0.25	Not detected	0.25
Ignitability	SW846-1030P	---	Does not ignite	---	Does not ignite	---
pH	EPA 150.1	units	8.90	---	8.85	---
Reactivity-Sulfide	SW846 Ch. 7.3.4	mg/kg	Not detected	15	Not detected	15

YORK

Client Sample ID			FH-0628 06-09		FH-0628 06-10	
York Sample ID			06061006-09		06061006-10	
Matrix			SOLID		SOLID	
Parameter	Method	Units	Results	MDL	Results	MDL
PCB	SW846-3550B/8082	mg/Kg	---	---	---	---
PCB 1016			Not detected	0.102	Not detected	0.102
PCB 1221			Not detected	0.102	Not detected	0.102
PCB 1232			Not detected	0.102	Not detected	0.102
PCB 1242			Not detected	0.102	Not detected	0.102
PCB 1248			Not detected	0.102	Not detected	0.102
PCB 1254			Not detected	0.102	Not detected	0.102
PCB 1260			Not detected	0.102	Not detected	0.102
TCLP Base/Neutral/Acids	SW846-1311/8270C	ug/L	---	---	---	---
1,4-Dichlorobenzene			Not detected	5.0	Not detected	7.1
2,4,5-Trichlorophenol			Not detected	5.0	Not detected	7.1
2,4,6-Trichlorophenol			Not detected	5.0	Not detected	7.1
2,4-Dinitrotoluene			Not detected	5.0	Not detected	7.1
Cresol (Total)			Not detected	5.0	Not detected	7.1
Hexachloro-1,3-butadiene			Not detected	5.0	Not detected	7.1
Hexachlorobenzene			Not detected	5.0	Not detected	7.1
Hexachloroethane			Not detected	5.0	Not detected	7.1
m-Cresol			Not detected	5.0	Not detected	7.1
Nitrobenzene			Not detected	5.0	Not detected	7.1
o-Cresol			Not detected	5.0	Not detected	7.1
p-Cresol			Not detected	5.0	Not detected	7.1
Pentachlorophenol			Not detected	5.0	Not detected	7.1
Pyridine			Not detected	5.0	Not detected	7.1
TCLP Herbicides	SW-846/8151	ug/L	---	---	---	---
2,4,5-TP (Silvex)			Not detected	5.0	Not detected	5.0
2,4-D			Not detected	5.0	Not detected	5.0
TCLP RCRA Metals	SW846-1311/6010	mg/L	---	---	---	---
TCLP Arsenic			Not detected	0.010	Not detected	0.010
TCLP Barium			0.655	0.010	0.301	0.010
TCLP Cadmium			0.013	0.005	0.196	0.005
TCLP Chromium			0.007	0.005	0.008	0.005
TCLP Lead			0.072	0.005	0.030	0.005
TCLP Selenium			Not detected	0.010	Not detected	0.010
TCLP Silver			Not detected	0.005	Not detected	0.005
TCLP Mercury	SW846-1311/7470	mg/L	Not detected	0.0005	Not detected	0.0005
TCLP Pesticides	SW846-1311/8081	ug/L	---	---	---	---
Chlordane			Not detected	1.50	Not detected	1.70
Endrin			Not detected	0.036	Not detected	0.0408
Heptachlor (and the epoxide)			Not detected	0.036	Not detected	0.0408
Lindane			Not detected	0.036	Not detected	0.0408
Methoxychlor			Not detected	0.360	Not detected	0.408
Toxaphene			Not detected	1.50	Not detected	1.70
TCLP Volatiles	SW846-1311/8260	ug/L	---	---	---	---
1,1-Dichloroethylene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0

YORK

Client Sample ID			FH-0628 06-09		FH-0628 06-10	
York Sample ID			06061006-09		06061006-10	
Matrix			SOLID		SOLID	
Parameter	Method	Units	Results	MDL	Results	MDL
Methyl Ethyl Ketone			Not detected	5.0	Not detected	5.0
Tetrachloroethylene			Not detected	5.0	Not detected	5.0
Trichloroethylene			Not detected	5.0	Not detected	5.0
Vinyl Chloride			Not detected	5.0	Not detected	5.0
Reactivity-Cyanide	SW846 Ch. 7.3.3	mg/kg	Not detected	0.25	Not detected	0.25
Ignitability	SW846-1030P	---	Does not ignite	---	Does not ignite	---
pH	EPA 150.1	units	8.91	---	8.28	---
Reactivity-Sulfide	SW846 Ch. 7.3.4	mg/kg	Not detected	15	18.3	15

Client Sample ID			FH-0628 06-11		FH-0628 06-12	
York Sample ID			06061006-11		06061006-12	
Matrix			SOLID		SOLID	
Parameter	Method	Units	Results	MDL	Results	MDL
PCB	SW846-3550B/8082	mg/Kg	---	---	---	---
PCB 1016			Not detected	0.102	Not detected	0.102
PCB 1221			Not detected	0.102	Not detected	0.102
PCB 1232			Not detected	0.102	Not detected	0.102
PCB 1242			Not detected	0.102	Not detected	0.102
PCB 1248			Not detected	0.102	Not detected	0.102
PCB 1254			Not detected	0.102	Not detected	0.102
PCB 1260			Not detected	0.102	Not detected	0.102
TCLP Base/Neutral/Acids	SW846-1311/8270C	ug/L	---	---	---	---
1,4-Dichlorobenzene			Not detected	6.9	Not detected	9.5
2,4,5-Trichlorophenol			Not detected	6.9	Not detected	9.5
2,4,6-Trichlorophenol			Not detected	6.9	Not detected	9.5
2,4-Dinitrotoluene			Not detected	6.9	Not detected	9.5
Cresol (Total)			Not detected	6.9	Not detected	9.5
Hexachloro-1,3-butadiene			Not detected	6.9	Not detected	9.5
Hexachlorobenzene			Not detected	6.9	Not detected	9.5
Hexachloroethane			Not detected	6.9	Not detected	9.5
m-Cresol			Not detected	6.9	Not detected	9.5
Nitrobenzene			Not detected	6.9	Not detected	9.5
o-Cresol			Not detected	6.9	Not detected	9.5
p-Cresol			Not detected	6.9	Not detected	9.5
Pentachlorophenol			Not detected	6.9	Not detected	9.5
Pyridine			Not detected	6.9	Not detected	9.5
TCLP Herbicides	SW-846/8151	ug/L	---	---	---	---
2,4,5-TP (Silvex)			Not detected	5.0	Not detected	5.0
2,4-D			Not detected	5.0	Not detected	5.0
TCLP RCRA Metals	SW846-1311/6010	mg/L	---	---	---	---
TCLP Arsenic			Not detected	0.010	Not detected	0.010
TCLP Barium			0.602	0.010	0.238	0.010
TCLP Cadmium			0.017	0.005	0.040	0.005
TCLP Chromium			0.005	0.005	0.020	0.005
TCLP Lead			0.027	0.005	0.118	0.005
TCLP Selenium			Not detected	0.010	Not detected	0.010
TCLP Silver			Not detected	0.005	Not detected	0.005
TCLP Mercury	SW846-1311/7470	mg/L	Not detected	0.0005	Not detected	0.0005

YORK

